

DAFTAR PUSTAKA

- Abdillah, W. and Hartono, J. (2015) *Partial Least Square (PLS): Alternatif Structural Equation Modeling (SEM) dalam Penelitian Bisnis*. Yogyakarta: Penerbit Andi.
- Abdollahi, F. et al. (2022) 'Predicting role of illness perception in treatment self-regulation among patients with type 2 diabetes', *Journal of Preventive Medicine and Hygiene*, 63(4), pp. E604–E610. doi: 10.15167/2421-4248/jpmh2022.63.4.2727.
- Abdulrehman, M.S. et al. (2016) 'Exploring cultural influences of self-management of diabetes in coastal Kenya: An ethnography', *Global Qualitative Nursing Research*, 3, pp. 1–13. doi: 10.1177/2333393616641825.
- Abza, L.F. et al. (2024) 'Self-care adherence and associated factors among hypertensive patients at Guraghe Zone, 2023', *Heliyon*, 10(17), p. e36985. doi: 10.1016/j.heliyon.2024.e36985.
- Acoba, E.F. (2024) 'Social support and mental health: The mediating role of perceived stress', *Frontiers in Psychology*, pp. 1–12. doi: 10.3389/fpsyg.2024.1330720.
- Adesina, A.O. and Ocholla, D.N. (2019) 'SECI model in knowledge management practices', *Mousaion: South African Journal of Information Studies*, 37(3). doi: 10.25159/2663-659X/6557.
- Adri, K., Arsin, A. and Thaha, R.M. (2020) 'Faktor risiko kasus diabetes mellitus tipe 2 dengan ulkus diabetik di RSUD Kabupaten Sidrap', *Jurnal Kesehatan Masyarakat Maritim*, 3(1), pp. 101–108. doi: 10.30597/jkmm.v3i1.10298.
- Al-Taie, N. et al. (2020) 'Assessing the quality of life among patients with diabetes in Austria and the correlation between glycemic control and the quality of life', *Primary Care Diabetes*, 14(2), pp. 133–138. doi: 10.1016/j.pcd.2019.11.003.
- Alfian, S.D. et al. (2021) 'Emotional distress is associated with lower health-related quality of life among patients with diabetes using antihypertensive and/or antihyperlipidemic medications: A multicenter study in Indonesia', *Therapeutics and Clinical Risk Management*, 17, pp. 1333–1342. doi: 10.2147/TCRM.S329694.
- Alharbi, S., Alhofaian, A. and Alaamri, M.M. (2024) 'Correlation between illness perception and medication adherence among adult patients with type 2 diabetes mellitus in Saudi Arabia', *Saudi Journal of Medicine & Medical Sciences*, 12(3), pp. 244–251. doi: 10.4103/sjmms.sjmms_511_23.
- Alkaff, F.F. et al. (2021) 'The impact of the Indonesian Chronic Disease Management Program (PROLANIS) on metabolic control and renal function of type 2 diabetes mellitus patients in primary care setting', *Journal of Primary Care and Community Health*, 12, pp. 1–10. doi: 10.1177/2150132720984409.

- Alligood, M.R. (2014) *Nursing Theory Utilization & Application*. 5th edn. Mosby Elsevier.
- ALSharit, B.A. and Alhalal, E.A. (2022) 'Effects of health literacy on type 2 diabetic patients' glycemic control, self-management, and quality of life', *Saudi Medical Journal*, 43(5), pp. 465–472. doi: 10.15537/smj.2022.43.5.20210917.
- Alyami, M. et al. (2021) 'A systematic review of illness perception interventions in type 2 diabetes: Effects on glycaemic control and illness perceptions', *Diabetic Medicine*, 38(3). doi: 10.1111/dme.14495.
- Alzawahreh, S. and Ozturk, C. (2024) 'The improving effects of diabetes education on diabetes awareness and management in children and adolescents with T1DM', *Open Journal of Nursing*, 14(4), pp. 164–175. doi: 10.4236/ojn.2024.144011.
- Amiruddin, R. et al. (2021) 'Motivation interview effectiveness and optimism efficiency on the quality of life of type 2 diabetes mellitus', *Open Access Macedonian Journal of Medical Sciences*, 9(E), pp. 402–405. doi: 10.3889/oamjms.2021.6007.
- Anshel, M.H. and Brinthaupt, T.M. (2014) 'An exploratory study on the effect of an approach-avoidance coping program on perceived stress and physical energy among police officers', *Psychology*, 5(7), pp. 676–687. doi: 10.4236/psych.2014.57079.
- Antar, S.A. et al. (2023) 'Diabetes mellitus: Classification, mediators, and complications; A gate to identify potential targets for the development of new effective treatments', *Biomedicine & Pharmacotherapy*, 168, p. 115734. doi: 10.1016/j.biopha.2023.115734.
- Asnaniar, W.O.S. and Munir, N.W. (2020) 'Optimalisasi self care management diabetes pada pasien diabetes mellitus di Puskesmas Parangloe Kabupaten Gowa', *PengabdianMu: Jurnal Ilmiah Pengabdian kepada Masyarakat*, 6(1), pp. 9–14. doi: 10.33084/pengabdianmu.v6i1.1156.
- Ataya, J. et al. (2024) 'The role of self-efficacy in managing type 2 diabetes and emotional well-being: A cross sectional study', *BMC Public Health*, 24(1), pp. 1–8. doi: 10.1186/s12889-024-21050-2.
- Bekele, B.B. et al. (2021) 'Effect of diabetes self-management education (DSME) on glycated hemoglobin (HbA1c) level among patients with T2DM: Systematic review and meta-analysis of randomized controlled trials', *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 15(1), pp. 177–185. doi: 10.1016/j.dsx.2020.12.030.
- Bhattad, P.B. and Pacifico, L. (2022) 'Empowering patients: Promoting patient education and health literacy', *Cureus*, 14(7). doi: 10.7759/cureus.27336.
- Briggs, F.H. et al. (2021) 'Social determinants of health and diabetes: A scientific review', *Diabetes Care*, 44(1), pp. 258–279. doi: 10.2337/dci20-0053.

Broadbent, E. et al. (2006) 'The Brief Illness Perception Questionnaire', *Journal of Psychosomatic Research*, 60(6), pp. 631–637. doi: 10.1016/j.jpsychores.2005.10.020.

Buana, C. et al. (2023) 'Diabetes self management education assistance on the quality of life in type 2 diabetes mellitus patients', *Journal of World Science*, 2(5), pp. 660–667. doi: 10.58344/jws.v2i2.143.

Budiastuti, D. and Bandur, A. (2018) *Validitas dan Reliabilitas Penelitian: Dengan Analisis NVIVO, SPSS dan AMOS*. Jakarta: Mitra Wacana Media.

Carver, C.S. (2013) 'COPE Inventory: Measurement Instrument Database for the Social Science'.

Castillo, R.R. et al. (2022) 'Effects of a diabetes self-management education program on glucose levels and self-care in type 1 diabetes: A pilot randomized controlled trial', *International Journal of Environmental Research and Public Health*, 19(23), pp. 1–13. doi: 10.3390/ijerph192316364.

Castonguay, A., Miquelon, P. and Boudreau, F. (2018) 'Self-regulation resources and physical activity participation among adults with type 2 diabetes', *Health Psychology Open*, 5(1). doi: 10.1177/2055102917750331.

Chindankutty, N.V. and Devineni, D. (2024) 'Illness perception, coping, and self-care adherence among adults with type 2 diabetes', *Journal of Population and Social Studies*, 32, pp. 687–705. doi: 10.25133/JPSSv322024.040.

Chuman, N. and Hatamochi, C. (2021) 'Intervention effect based on self-regulation to promote the continuation of self-care behavior of patients with type-2 diabetes mellitus', *Health Journal*, 13(4), pp. 472–481. doi: 10.4236/health.2021.134037.

Eshete, A. et al. (2023) 'Association between illness perception and medication adherence in patients with diabetes mellitus in North Shoa Zone: Cross-sectional study', *Frontiers in Public Health*, 11, pp. 1–9. doi: 10.3389/fpubh.2023.1214725.

Estuningsih, Y. et al. (2019) 'Effect of self-regulated learning for improving dietary management and quality of life in patients with type-2 diabetes mellitus at Dr. Ramelan Naval Hospital, Surabaya, Indonesia', *Kesmas*, 14(2), pp. 51–57. doi: 10.21109/kesmas.v14i2.2257.

Fahamsya, A., Anggraini, M.T. and Faizin, C. (2022) 'Self-efficacy and family support on compliance of taking medicine in patients type 2 diabetes mellitus', *Biomedika*, 14(1), pp. 63–73. doi: 10.23917/biomedika.v14i1.17040.

Farnese, M.L. et al. (2019) 'Managing knowledge in organizations: A Nonaka's SECI model operationalization', *Frontiers in Psychology*, 10, pp. 1–15. doi: 10.3389/fpsyg.2019.02730.

- Faswita, W. (2019) 'Gambaran kualitas hidup penderita diabetes melitus tipe II', *Jurnal Online Keperawatan Indonesia*, 2(1), pp. 131–138.
- Fathonah, Y. et al. (2021) 'Effects of family function on blood sugar control in patients with type 2 diabetes mellitus', *Review of Primary Care Practice and Education (Kajian Praktik dan Pendidikan Layanan Primer)*, 4(3), p. 10. doi: 10.22146/rpcpe.69859.
- Feist, J. and Feist, G.J. (2010) *Teori Kepribadian*. Edisi ke-7. Jakarta: Salemba Humanika.
- Feng, Y. et al. (2023) 'The effectiveness of an eHealth family-based intervention program in patients with uncontrolled type 2 diabetes mellitus (T2DM) in the community via WeChat: Randomized controlled', *JMIR mHealth and uHealth*, 11, e40420. doi: 10.2196/40420.
- Fereidooni, G.J., Ghofranipour, F. and Zarei, F. (2024) 'Interplay of self-care, self-efficacy, and health deviation self-care requisites: A study on type 2 diabetes patients through the lens of Orem's self-care theory', *BMC Primary Care*, 25(1), pp. 1–10. doi: 10.1186/s12875-024-02276-w.
- Gahayu, S.A. (2015) *Metodologi Penelitian Kesehatan Masyarakat*. Deepublish.
- Garcia, A.A. et al. (2001) 'The Starr County Diabetes Education Study', *Diabetes Care*, 24(1), pp. 16–21. doi: 10.2337/diacare.24.1.16.
- Garizábalo-Dávila, C.M. et al. (2021) 'Social support intervention for self-management of type 2 diabetes mellitus: Study protocol for a randomized controlled trial', *Open Access Journal of Clinical Trials*, 13, pp. 37–43. doi: 10.2147/OAJCT.S314030.
- Goins, R.T. et al. (2020) 'Type 2 diabetes management among older American Indians: Beliefs, attitudes, and practices', *Ethnicity & Health*, 25(8), pp. 1055–1071. doi: 10.1080/13557858.2018.1493092.
- Hagger, M.S. and Orbell, S. (2022) 'The common sense model of illness self-regulation: A conceptual review and proposed extended model', *Health Psychology Review*, 16(3), pp. 347–377. doi: 10.1080/17437199.2021.1878050.
- Hariyono, H. and Romli, L.Y. (2020) 'Self regulation effect on glycemic control of type 2 diabetes mellitus patients', *Indian Journal of Public Health Research & Development*, 11(6), pp. 1257–1262. doi: 10.37506/ijphrd.v11i6.9974.
- Hidayah, M. (2019) 'The relationship between self-management behaviour and blood glucose level in diabetes mellitus type 2 patient in Pucang Sewu Health Center, Surabaya', *Amerta Nutrition*, 3(3), pp. 176–182. doi: 10.2473/amnt.v3i3.2019.176-182.

Hidayat, B. et al. (2022) 'Direct medical cost of type 2 diabetes mellitus and its associated complications in Indonesia', *Value in Health Regional Issues*, 28, pp. 82–89. doi: 10.1016/j.vhri.2021.04.006.

Hsu, H.C., Lee, Y.J. and Wang, R.H. (2018) 'Influencing pathways to quality of life and HbA1c in patients with diabetes: A longitudinal study that inform evidence-based practice', *Worldviews on Evidence-Based Nursing*, 15(2), pp. 104–112. doi: 10.1111/wvn.12275.

lawchud, N., Rojpaisarnkit, K. and Imami, N. (2023) 'The application of a self-regulation model for dietary intake and exercise to control blood sugar of type II diabetic patients', *Journal of Human Behavior in the Social Environment*, pp. 1–14. doi: 10.1080/10911359.2023.2183298.

Indrayana, S. and Fang, S.-Y. (2020) 'Validitas dan reliabilitas The Brief Illness Perception Questionnaire versi Bahasa Indonesia pada pasien diabetes mellitus', *Dinamika Kesehatan Jurnal Kebidanan dan Keperawatan*, 10(1), pp. 361–368. doi: 10.33859/dksm.v10i1.397.

Iregbu, S.C. et al. (2022) 'An interpretive description of sociocultural influences on diabetes self-management support in Nigeria', *Global Qualitative Nursing Research*, 9, pp. 1–9. doi: 10.1177/23333936221121337.

Irwanyah, I. and Kasim, I.S. (2021) 'Identifikasi keterkaitan lifestyle dengan risiko diabetes melitus', *Jurnal Ilmiah Kesehatan Sandi Husada*, 10(1), pp. 62–69. doi: 10.35816/jiskh.v10i1.511.

Iturralde, E., Weissberg-Benchell, J. and Hood, K.K. (2020) 'Avoidant coping and diabetes-related distress: Pathways to adolescents' type 1 diabetes outcomes', *Health Psychology*, 36(3), pp. 236–244. doi: 10.1037/hea0000445.

John, R. et al. (2019) 'Evaluation of quality of life in type 2 diabetes mellitus patients using quality of life instrument for Indian diabetic patients: A cross-sectional study', *Journal of Mid-Life Health*, 10(2), pp. 81–88. doi: 10.4103/jmh.JMH_32_18.

Karami, H. et al. (2021) 'The association between diabetic complications and health-related quality of life in patients with type 2 diabetes: A cross-sectional study from Iran', *Quality of Life Research*, 30(4), pp. 1963–1974. doi: 10.1007/s11136-021-02792-7.

Kiziltoprak, H. et al. (2019) 'Cataract in diabetes mellitus', *World Journal of Diabetes*, 10(3), pp. 140–153. doi: 10.4239/wjd.v10.i3.140.

Kollin, S.R., Gratz, K.L. and Lee, A.A. (2024) 'The role of emotion dysregulation in self-management behaviors among adults with type 2 diabetes', *Journal of Behavioral Medicine*, 47(4), pp. 672–681. doi: 10.1007/s10865-024-00483-5.

- Kretchy, I.A. et al. (2020) 'The association between diabetes-related distress and medication adherence in adult patients with type 2 diabetes mellitus: A cross-sectional study', *Journal of Diabetes Research*, 2020, pp. 1–10. doi: 10.1155/2020/4760624.
- Kuntoro, H. (2021) *Teori dan Aplikasi Analisis Multivariat Lanjut*. Zifatama Jawa.
- Kurniawan, T., Sari, C.W.M. and Aisyah, I. (2020) 'Self management pasien diabetes melitus dengan komplikasi kardiovaskular dan implikasinya terhadap indikator klinik', *Jurnal Pendidikan Keperawatan Indonesia*, 6(1), pp. 26–36. doi: 10.17509/jpki.v6i1.18256.
- Kurniawati, N., Suryawati, C. and Arso, P.S. (2019) 'Evaluasi program pengendalian diabetes mellitus pada usia produktif di Puskesmas Sapuran tahun 2019', *Jurnal Kesehatan Masyarakat (e-Journal)*, 7(4), pp. 633–646.
- Lestari, P.P. and Nawangsih, E. (2017) 'Studi deskriptif mengenai self-regulatory model pada mahasiswa penderita gastritis di Kota Bandung', *Prosiding Psikologi*, 3(2), pp. 1004–1011. doi: 10.29313/.v0i0.7684.
- Li, W.-W. and Tong, J. (2023) 'Family-based, culturally responsive intervention for Chinese Americans with diabetes: Lessons learned from a literature review to inform study design and implementation', *Asian/Pacific Island Nursing Journal*, 7, e48746. doi: 10.2196/48746.
- Linge, A.D. et al. (2021) 'Bandura's self-efficacy model used to explore participants' experiences of health, lifestyle, and work after attending a vocational rehabilitation program with lifestyle intervention: A focus group study', *Journal of Multidisciplinary Healthcare*, 14, pp. 3533–3548. doi: 10.2147/JMDH.S334620.
- Lorini, C. et al. (2017) 'Health literacy in Italy: A cross-sectional study protocol to assess the health literacy level in a population-based sample, and to validate health literacy measures in the Italian language', *BMJ Open*, 7(11), pp. 1–8. doi: 10.1136/bmjopen-2017-017812.
- Miller, A.L. et al. (2020) 'Adolescent Interventions to Manage Self-Regulation in Type 1 Diabetes (AIMS-T1D): Randomized control trial study protocol', *BMC Pediatrics*, 20(1), pp. 1–10. doi: 10.1186/s12887-020-2012-7.
- Mohamad, N. et al. (2025) 'The impact of self-care behavior on quality of life among patients with heart failure in Malaysia: A cross-sectional study', *Jurnal Ners*, 20(3), pp. 241–247.
- Momenabadi, V. et al. (2020) 'Health promoting self-care behaviors in patients with multiple sclerosis in the southeast of Iran: Developing a model for practice', *Basic and Clinical Neuroscience*, 11(5), pp. 687–700. doi: 10.32598/BCN.11.5.1670.1.

Mosleh, R.S.A. et al. (2017) 'Factors related to diabetes self-care management behaviors among patients with type II diabetes in Palestine', *Journal of Applied Pharmaceutical Science*, 7(12), pp. 102–109. doi: 10.7324/JAPS.2017.71214.

Motamed-Jahromi, M., Kaveh, M.H. and Vitale, E. (2024) 'Mindfulness and self-regulation intervention for improved self-neglect and self-regulation in diabetic older adults', *Scientific Reports*, 14(1), pp. 1–11. doi: 10.1038/s41598-024-64314-y.

Murakami, H. et al. (2020) 'Coping styles associated with glucose control in individuals with type 2 diabetes mellitus', 11(5), pp. 1215–1221. doi: 10.1111/jdi.13225.

Ningrum, T.P., Alfatih, H. and Siliapantur, H.O. (2019) 'Faktor-faktor yang memengaruhi manajemen diri pasien DM tipe 2', *Jurnal Keperawatan BSI*, 7(2), pp. 114–126.

Nooseisai, M. et al. (2021) 'Effects of diabetes self-management education program on lowering blood glucose level, stress, and quality of life among females with type 2 diabetes mellitus in Thailand', *Primary Health Care Research and Development*, 22, p. 46. doi: 10.1017/S1463423621000505.

Noviyanti, L.W., Suryanto, S. and Rahman, R.T. (2021) 'Peningkatan perilaku perawatan diri pasien melalui Diabetes Self Management Education and Support', *Media Karya Kesehatan*, 4(1), pp. 67–77. doi: 10.24198/mkk.v4i1.30747.

Nugroho, F.A. et al. (2024) 'Distress and coping strategy among Indonesian men with type-2 diabetes mellitus', 14, pp. 110–124.

Nursalam (2015) *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. 4th edn. Jakarta: Salemba Medika.

Nursalam (2020) *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. 5th edn. Jakarta: Salemba Medika.

Nursalam, N. et al. (2020) 'The development of self-regulation models based on belief in patients with hypertension', *Systematic Reviews in Pharmacy*, 11(6), pp. 1036–1041. doi: 10.31838/srp.2020.6.148.

Ogden, J. (2007) *Health Psychology*. 4th edn. England: Open University Press.

Pamungkas, R.A. and Chamroonsawasdi, K. (2020) 'Self-management based coaching program to improve diabetes mellitus self-management practice and metabolic markers among uncontrolled type 2 diabetes mellitus in Indonesia: A quasi-experimental study', *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 14(1), pp. 53–61. doi: 10.1016/j.dsx.2019.12.002.

Papachristoforou, E. et al. (2020) 'Association of glycemic indices (hyperglycemia, glucose variability, and hypoglycemia) with oxidative stress and diabetic complications', *Journal of Diabetes Research*, 2020, pp. 1–17. doi: 10.1155/2020/7489795.

Pereira, E.V. et al. (2020) 'Evaluation of the application of the Diabetes Quality of Life Questionnaire in patients with diabetes mellitus', *Archives of Endocrinology and Metabolism*, 64(1), pp. 59–65. doi: 10.20945/2359-3997000000196.

Pham, T.B. et al. (2020) 'Effects of diabetic complications on health-related quality of life impairment in Vietnamese patients with type 2 diabetes', *Journal of Diabetes Research*, 2020, pp. 1–8. doi: 10.1155/2020/4360804.

Putra, M.M. et al. (2019) 'Application of Health Promotion Model for better self-care behavior in patients with diabetes mellitus', *Belitung Nursing Journal*, 5(6), pp. 239–245. doi: 10.33546/bnj.913.

Putri, E.Y. (2017) 'Studi deskriptif self-regulatory model pasien diabetes mellitus tipe 2 dengan komplikasi di Puskesmas Cimahi Selatan', *Prosiding Psikologi*, 3, pp. 660–666.

Qi, X. et al. (2021) 'Self-management behavior and fasting plasma glucose control in patients with type 2 diabetes mellitus over 60 years old: Multiple effects of social support on quality of life', *Health and Quality of Life Outcomes*, 19(1), pp. 1–15. doi: 10.1186/s12955-021-01881-y.

Rahmatulloh, W. et al. (2024) 'Patient adherence and diabetes distress on glycemic outcomes: A cross-sectional study', *Mediasains Jurnal Ilmiah Ilmu-Ilmu Kesehatan*, 23(1), pp. 1–4.

Rias, Y.A., Rosa, E.M. and Yuniarti, F.A. (2016) 'Pengembangan model konservasi discard planning terstruktur terhadap individual and family self management diabetic foot ulcer', *Muhammadiyah Journal of Nursing*, 3(1), pp. 1–27. doi: 10.18196/ijnp.v3i1.2218.

Roflin, E., Pariyana and Liberty, I.A. (2022) *Metode Menghitung Besar Sampel pada Penelitian Kesehatan*. NEM.

Ryan, P. and Sawin, K.J. (2009) 'The Individual and Family Self-Management Theory: Background and perspectives on context, process, and outcomes', *Nursing Outlook*, 57(4), pp. 217–225.e6. doi: 10.1016/j.outlook.2008.10.004.

Saleh, A. et al. (2021) 'The relationships among self-efficacy, health literacy, self-care and glycemic control in older people with type 2 diabetes mellitus', *Working with Older People*, 25(2), pp. 164–169. doi: 10.1108/WWOP-08-2020-0044.

Sari, P. (2020) 'Regulasi diri dan dukungan sosial dari keluarga pada pasien diabetes melitus tipe 2', *Jurnal Experientia*, 8(2), pp. 122–130. doi: 10.33508/exp.v8i2.2846.

- Saroca, K. and Sargent, J. (2022) 'Understanding families as essential in psychiatric practice', *Focus*, 20(2), pp. 204–209. doi: 10.1176/appi.focus.20210035.
- Scollan-Koliopoulos, M., Rapp, K.J. and Walker, E.A. (2018) 'Self-regulation theory and the multigenerational legacy of diabetes', *The Diabetes Educator*, 38(1), pp. 139–148. doi: 10.1177/0145721711416133.
- Sendekie, A.K. et al. (2025) 'Psychological distress and its impact on glycemic control in patients with diabetes, Northwest', *Frontiers in Medicine*, pp. 1–11. doi: 10.3389/fmed.2025.1488023.
- Simanungkalit, C. et al. (2020) 'Patients with type 2 diabetes mellitus in Sibolga City 2020', *Science Midwifery*, 9(1), pp. 251–255.
- Sinawang, G.W., Kusnanto, K. and Pratiwi, I.N. (2020) 'Systematic review of family members in improving the quality of life of people with T2DM', *Jurnal Ners*, 15(2 Special Issue), pp. 107–112. doi: 10.20473/jn.v15i2.18975.
- Sofiani, Y., Rahim Kamil, A. and Rayasari, F. (2022) 'Relationship between illness perceptions, self-management, and quality of life in adult with type 2 diabetes mellitus', *Jurnal Keperawatan Padjadjaran*, 10(3), pp. 187–195. doi: 10.24198/jkp.v10i3.2135.
- Sugiyono (2017) *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung: CV. Alfabeta.
- Suharsono, S. et al. (2025) 'Social support, psychological distress, and quality of life in patients with diabetes mellitus living in the community', *Journal of Applied Nursing and Health*, 7(2), pp. 239–251. doi: 10.55018/janh.v7i2.356.
- Syabariyah, S. et al. (2024) 'Mobile health applications for self-regulation of glucose levels in type 2 diabetes mellitus patients: A systematic review', 26(1), pp. 123–136.
- Takenaka, H. and Ban, N. (2016) 'The most important question in family approach: The potential of the resolve item of the Family APGAR in family medicine', *Asia Pacific Family Medicine*, 15(1), pp. 1–7. doi: 10.1186/s12930-016-0028-9.
- Talbot, F., Nouwen, A., Gingras, J., Gosselin, M. and Audet, J. (1997) 'The assessment of diabetes-related cognitive and social factors: The Multidimensional Diabetes Questionnaire', *Journal of Behavioral Medicine*, 20(3), pp. 291–312. doi: 10.1023/A:1025508928696.
- Tang, J. and Gao, L. (2020) 'Illness perceptions among patients with type 2 diabetes mellitus: A cross-sectional study', *International Journal of Nursing Practice*, 26(5), pp. 1–10. doi: 10.1111/ijn.12801.

Tavakolizadeh, J., Moghadas, M. and Ashraf, H. (2014) 'Effect of self-regulation training on management of type 2 diabetes', *Iranian Red Crescent Medical Journal*, 16(4), pp. 1–6. doi: 10.5812/ircmj.13506.

Toobert, D.J., Hampson, S.E. and Glasgow, R.E. (2000) 'The Summary of Diabetes Self-Care Activities measure', *Diabetes Care*, 23(7), pp. 943–950.

Tor-anyiin, F.N. and Adenusi, S.A. (2025) 'Impact of socio-economic factors and lifestyle behaviours on the quality of life of diabetes patients in Markurdi, Benue State, Nigeria', *Scientific Reports*, 15, pp. 1–13. doi: 10.1038/s41598-025-15889-7.

Vohs, K.D. and Baumeister, R.F. (2011) *Handbook of Self-Regulation: Research, Theory, and Applications*. 2nd edn. United States of America: The Guilford Press.

Weinman, J. et al. (1996) 'The illness perception questionnaire: A new method for assessing the cognitive representation of illness', *Psychology and Health*, 11(3), pp. 431–445. doi: 10.1080/08870449608400270.

WHO (2014) *WHO Quality of Life-BREF (WHOQOL-BREF)*. World Health Organization.

Wibowo, W. et al. (2025) 'Disease perception and duration of suffering with self-care management in patients with diabetes mellitus', *Jurnal Ilmiah Kesehatan Sandi Husada*, 14(1), pp. 64–72. doi: 10.35816/jiskh.v14i1.1248.

Yuliana, S. and Junaidin, J. (2021) 'Efektifitas family based diabetes self-management education terhadap self-care dan kualitas hidup pasien diabetes mellitus', *Jurnal Keperawatan Jiwa*, 9(4), pp. 879–886. doi: 10.26714/jkj.9.4.2021.879-886.

Yunis, B. et al. (2024) 'Increasing self-efficacy for the management of patients with type 2 diabetes through an advanced practice education program for primary care professionals', *Nursing Reports*, 14(4), pp. 3830–3846. doi: 10.3390/nursrep14040280.